

Соловьев Дмитрий Анатольевич
СПИСОК ПУБЛИКАЦИЙ

2021

1. D. Solovyev, T. Zalialiutdinov, and A. Anikin, Vertex-type thermal correction to the one-photon transition rates,
J. Phys. B: At. Mol. Opt. Phys. 54, 095001 (2021)
<https://doi.org/10.1088/1361-6455/abd2d0>
2. D. Solovyev, T. Zalialiutdinov, and A. Anikin, Relativistic corrections to the thermal interaction of bound particles,
Phys. Rev. Res. 3, 023102 (2021)
<https://doi.org/10.1103/PhysRevResearch.3.023102>
3. J. Triaskin, T. Zalialiutdinov, A. Anikin, and D. Solovyev, Lowest-Order Thermal Correction to the Hydrogen Recombination Cross-Section in Presence of Blackbody Radiation,
Atom, 9(4), 80 (2021)
<https://doi.org/10.3390/atoms9040080>
4. T. Zalialiutdinov, A. Anikin, and D. Solovyev, Analysis of nonresonant effects in the two-photon spectroscopy of helium,
J. Phys. B: At. Mol. Opt. Phys. 54, 165002 (2021)
<https://doi.org/10.1088/1361-6455/ac232c>
5. A.A. Anikin, T. A. Zalialiutdinov, and D.A. Solovyev, Nonresonant Effects in the Two-Photon Spectroscopy of a Hydrogen Atom: Application to the Calculation of the Charge Radius of the Proton,
JETP Lett. 114, 180–187 (2021)
<https://doi.org/10.1134/S0021364021160037>

2020

1. D. Solovyev, Thermal QED theory for bound states,
Annals of Physics 415, 168128 (2020)
<https://doi.org/10.1016/j.aop.2020.168128>.
2. D. Solovyev, T. Zalialiutdinov, and A. Anikin, Thermal corrections of lowest order for a helium atom,
Phys. Rev. A 101, 052501 (2020)
<https://doi.org/10.1103/PhysRevA.101.052501>
3. T. Zalialiutdinov, D. Solovyev, and L. Labzowsky, Radiative QED corrections to one-photon transition rates in the hydrogen atom at finite temperatures,
Phys. Rev. A 101, 052503 (2020)
<https://doi.org/10.1103/PhysRevA.101.052503>
4. T. Zalialiutdinov, A. Anikin, and D. Solovyev, Two-photon atomic level widths at finite temperatures,
Phys. Rev. A 102, 032204 (2020)
<https://doi.org/10.1103/PhysRevA.102.032204>

5. D. Solovyev, A. Anikin, T. Zalialiutdinov and L. Labzowsky, Importance of nonresonant corrections for the description of atomic spectra,
J.Phys. B: At. Mol. Opt. Phys. 53, 125002 (2020)
<https://doi.org/10.1088/1361-6455/ab8b43>

2019

1. T. Zalialiutdinov, D. Solovyev, L. Labzowsky, and G. Plunien, Mixing of atomic levels by blackbody radiation and its consequences in an astrophysical context,
Phys. Rev. A 99, 012502 (2019)
<https://doi.org/10.1103/PhysRevA.99.012502>

2. D. Solovyev, T. Zalialiutdinov, A. Anikin, J. Triaskin and L. Labzowsky, Recombination process for the hydrogen atom in the presence of blackbody radiation,
Phys. Rev. A 100, 012506 (2019)
<https://doi.org/10.1103/PhysRevA.100.012506>

2018

1. D. Solovyev, Analysis of the absorption line profile at 21 cm for the hydrogen atom in the interstellar medium,
J. Phys. B: At. Mol. Opt. Phys. 51, 225004 (2018)
<https://doi.org/10.1088/1361-6455/aae55a>

2. T. A. Zalialiutdinov, D. A. Solovyev, L. N. Labzowsky and G. Plunien, QED theory of multiphoton transitions in atoms and ions,
Phys. Rep. 737, 1-84 (2018)
<https://doi.org/10.1016/j.physrep.2018.02.003>

3. Т. А. Залялютдинов, Д. А. Соловьёв, Л. Н. Лабзовский, Влияние эффекта смешивания атомных уровней, индуцированного излучением абсолютно черного тела, на космологическую рекомбинацию атомов водорода и однократно ионизованного гелия, ЖЭТФ 153 (1), 1-15 (2018)
<https://doi.org/10.7868/S0044451018010029>

[Engl. Translation: Journal of Experimental and Theoretical Physics. 126(1), pp. 8-20]

4. T. Zalialiutdinov, D. Solovyev and L. Labzowsky, BBR-induced Stark shifts and level broadening in a helium atom,
J. Phys. B: At. Mol. Opt. Phys. 51, 015003 (2018)
<https://doi.org/10.1088/1361-6455/aa8e6e>

2017

1. T. Zalialiutdinov, D. Solovyev, L. Labzowsky, and G. Plunien, Level-mixing effect induced by blackbody radiation and its influence on the cosmological hydrogen recombination problem,
Phys. Rev. A 96, 012512 (2017)
<https://doi.org/10.1103/PhysRevA.96.012512>

2. T. Zalialiutdinov, D. Solovyev and L. Labzowsky, Generalized spin-statistic selection rules for atomic transitions with arbitrary number of equivalent photons,
Eur. Phys. J. D 226, 2837-2842 (2017)

<https://doi.org/10.1140/epjst/e2016-60328-y>

2016

1. T. Zalialiutdinov, D. Solovyev, L. Labzowsky and G. Plunien, Spin-statistic selection rules for multiphoton transitions: Application to helium atoms,
Phys. Rev. A 93, 012510 (2016)

<https://doi.org/10.1103/PhysRevA.93.012510>

2. T. Zalialiutdinov, D. Solovyev, L. Labzowsky, QED calculations of three-photon transition probabilities

in H-like ions with arbitrary nuclear charge,
J. Phys. B: At. Mol. Opt. Phys. 49, 055001 (2016)

<https://doi.org/10.1088/0953-4075/49/5/055001>

2015

1. T. Zalialiutdinov, D. Solovyev, L. Labzowsky, G. Plunien, Exclusion principle for photons: Spin-statistic selection rules for multiphoton transitions in atomic systems,
Phys. Rev. A 91, 033417 (2015)

<https://doi.org/10.1103/PhysRevA.91.033417>

2. D. Solovyev, L. Labzowsky, G. Plunien, QED derivation of the Stark shift and line broadening induced by blackbody radiation,

Phys. Rev. A 92, 022508 (2015)

<https://doi.org/10.1103/PhysRevA.92.022508>

3. D. Solovyev, E. Solovyeva, Rydberg-state mixing in the presence of an external electric field: Comparison of the hydrogen and antihydrogen spectra,

Phys. Rev. A 91, 042506 (2015)

<https://doi.org/10.1103/PhysRevA.91.042506>

2014

1. T. Zalialiutdinov, D. Solovyev, L. Labzowsky, G. Plunien, Two-photon transitions with cascades: two-photon transition rates and two-photon level widths,

Phys. Rev. A 89, 052502 (2014)

<https://doi.org/10.1103/PhysRevA.89.052502>

2. D. Solovyev, L. Labzowsky, The 21 cm absorption line profile as a tool for the search for antimatter in the universe,

PTEP 2014 (2014) 11, 111E01

<https://doi.org/10.1093/ptep/ptu142>

3. D. Solovyev, V. Dubrovich, EIT phenomenon for the three-level hydrogen atoms and its application to the era of cosmological recombination,

Centr.Eur.J.Phys. 12, 367–374 (2014)

<https://doi.org/10.2478/s11534-014-0452-0>

4. T. Zalialiutdinov, Yu. Baukina, D. Solovyev, L. Labzowsky, Theory of the multiphoton cascade transitions with two photon links: comparison of quantum electrodynamical and quantum mechanical approaches,

J. Phys. B: At. Mol. Opt. Phys. 47, 115007 (2014)
<https://doi.org/10.1088/0953-4075/47/11/115007>

2013

1. D. Solovyev, Bloch-Siegert shift in application to the astrophysical determination of the fundamental constants variation,
Phys. Lett. A 377, 2573-2576 (2013)
<https://doi.org/10.1016/j.physleta.2013.07.022>

2012

1. T. Zaliutdinov, D. Solovyev, L. Labzowsky, QED model of the radiation escape from matter,
J. Phys. B: At. Mol. Opt. Phys. 45, 165006 (2012)
<https://doi.org/10.1088/0953-4075/45/16/165006>

2. D. Solovyev, V. K. Dubrovich, G. Plunien, Investigation of the electromagnetically induced transparency in the era of cosmological hydrogen recombination,
J. Phys. B: At. Mol. Opt. Phys. 45, 215001 (2012)
<https://doi.org/10.1088/0953-4075/45/21/215001>

2011

1. Т. А. Залялютдинов, Д. А. Соловьев, Л. Н. Лабзовский, Двухфотонный распад $4s-1s$ в атоме водорода с учетом каскадов,
Оптика и Спектроскопия 110, 362-368 (2011)
[Engl. Transl.: T. A. Zalyutdinov, D. A. Solovyev, L. N. Labzovskii, $4s-1s$ two-photon decay in hydrogen atom with allowance for cascades, Optics and Spectroscopy 110, 328-334 (2011),
<https://doi.org/10.1134/S0030400X11030283>]

2. D. Solovyev, L. Labzowsky, The two-photon approximation for the four-photon decay of the $4d$ excited state in hydrogen,
Can. J. Phys. 89, 123-127 (2011)
<https://doi.org/10.1139/P10-073>

3. D. Solovyev, L. Labzowsky, A. Volotka, G. Plunien, Extension of the sum rule for the transition rates between multiplets to the multiphoton case,
Eur. Phys. J. D 61, 297-304 (2011)
<https://doi.org/10.1140/epjd/e2010-10485-3>

2010

1. D. Solovyev, L. Labzowsky, G. Plunien and V. Sharipov, Influence of external electric fields on multi-photon transitions between the $2s$, $2p$ and $1s$ levels for hydrogen and antihydrogen atoms and hydrogen-like ions,
J. Phys. B: At. Mol. Opt. Phys. 43, 074005 (2010)
<https://doi.org/10.1088/0953-4075/43/7/074005>

2. D. Solovyev, L. Labzowsky, Two-photon approximation in the theory of electron recombination in hydrogen,
Phys. Rev. A 81, 062509 (2010)
<https://doi.org/10.1103/PhysRevA.81.062509>

3. D. Solovyev, V. Dubrovich, A. V. Volotka, L. Labzowsky, G. Plunien, Two-photon decays of highly excited states in hydrogen,

J. Phys. B: At. Mol. Opt. Phys. 43, 175001 (2010)

<https://doi.org/10.1088/0953-4075/43/17/175001>

2009

1. L. Labzowsky, G. Schedrin, D. Solovyev, E. Chernovskaya, G. Plunien and S. Karshenboim, Nonresonant corrections for the optical resonance frequency measurements in the hydrogen atom, Phys. Rev. A 79, 052506 (2009)

<https://doi.org/10.1103/PhysRevA.79.052506>

2. L. Labzowsky, D. Solovyev, G. Plunien, Two-photon decay of excited levels in hydrogen: the ambiguity of the separation of cascades and pure two-photon emission, Phys. Rev. A 80, 062514 (2009)

<https://doi.org/10.1103/PhysRevA.80.062514>

3. Д. А. Соловьёв, Л. Н. Лабзовский, В. Ф. Шарипов, Влияние внешнего электрического поля на вероятности двухфотонных переходов между 2s, 2p и 1s уровнями для атомов водорода и антиводорода,

Оптика и Спектроскопия 107, 20-28 (2009)

[Engl. Transl.: D. A. Solovyev, L. N. Labzowsky, V. F. Sharipov, Influence of an external electric field on the probabilities of two-photon transitions between 2s, 2p and 1s levels for hydrogen and antihydrogen atom, Optics and Spectroscopy 107, 16-24 (2009);

<https://doi.org/10.1134/S0030400X09070030>]

4. Д. А. Соловьёв, Л. Н. Лабзовский, В. Ф. Шарипов, Одно-, двух- и трехфотонные переходы между 2s-, 2p- и 1s-уровнями для атомов водорода и антиводорода во внешнем электрическом поле и без него,

Вестник Санкт-Петербургского Университета. Серия 4: Физика, Химия 4, 377-390 (2009)

2008

1. O. Yu Andreev, L. N. Labzowsky, G. Plunien, D. A. Solovyev, QED theory of the spectral line profiles and its applications to atoms and ions,

Phys. Rep. 455, 135-246 (2008)

<https://doi.org/10.1016/j.physrep.2007.10.003>

2. Д. А. Соловьёв, В. Ф. Шарипов, Л. Н. Лабзовский, Г. Плюниен, Вероятности однофотонного перехода 2s-1s в атомах водорода и антиводорода во внешнем электрическом поле,

Оптика и Спектроскопия 104, 567-570 (2008)

[Engl. Transl.: D. A. Solov'ev, V. F. Sharipov, L. N. Labzovskii, G. Plunien, Probabilities of single-photon 2s-1s transition in hydrogen and antihydrogen atoms in an external electric field, Optics and Spectroscopy 104, 509-512 (2008);

<https://doi.org/10.1134/S0030400X0804005X>]

2007

1. L. Labzowsky, G. Schedrin, D. Solovyev and G. Plunien, Theoretical study of the accuracy limits of optical resonance frequency measurements,

Phys. Rev. Lett. 98, 203003 (2007)

<https://doi.org/10.1103/PhysRevLett.98.203003>

2. L. Labzowsky, D. Solovyev, G. Plunien, O. Andreev and G. Schedrin, Intensity distribution shift in multiple nonresonant photon scattering on the hydrogen atom,
J. Phys. B: At. Mol. Opt. Phys. 40, 525-535 (2007)
<https://doi.org/10.1088/0953-4075/40/3/008>

3. L. Labzowsky, G. Schedrin, D. Solovyev and G. Plunien, Nonresonant corrections and limits for the accuracy of the frequency measurements in modern hydrogen experiments,
Can. J. Phys. 85, 1-11 (2007)
<https://doi.org/10.1139/p07-014>

2006

1. L. Labzowsky, V. Sharipov, D. Solovyev and G. Plunien, Coherent beam-foil excitation of $2s_{1/2}$ and $2p_{1/2}$ states of hydrogen and antihydrogen atoms in an external electric field,
J. Phys. B: At. Mol. Opt. Phys. 39, 5091-5096 (2006)
<https://doi.org/10.1088/0953-4075/39/24/006>

2. L. N. Labzowsky, D. A. Solovyev, G. Plunien and G. Soff, Two-photon $E1M1$ and $E1E2$ transitions between $2p$ and $1s$ levels in hydrogen,
Eur. Phys. J. D 37, 335-343 (2006)
<https://doi.org/10.1140/epjd/e2006-00022-6>

2005

1. L. N. Labzowsky, A. V. Shonin and D. A. Solovyev, QED calculation of $E1M1$ and $E1E2$ transition probabilities in one-electron ions with arbitrary nuclear charge,
J. Phys. B: At. Mol. Opt. Phys. 38, 265 (2005)
<https://doi.org/10.1088/0953-4075/38/3/010>

2004

1. L. Labzowsky, V. Sharipov, D. Solovyev, G. Plunien and G. Soff, Spectroscopy of the hydrogen and anti-hydrogen atoms in external fields,
Int. J. Mod. Phys. B 18, 3875 (2004)
<https://doi.org/10.1142/S0217979204026809>

2. L. N. Labzowsky and D. A. Solovyev, Multiple resonant photon scattering on the hydrogen atom and the shift of the photon intensity distribution,
J. Phys. B: At. Mol. Opt. Phys. 37, 3271-3281 (2004)
<https://doi.org/10.1088/0953-4075/37/16/005>

2003

1. L. Labzowsky and D. Solovyev, Resonant spectroscopy of the antihydrogen atom,
Phys. Rev. A 68, 014501 (2003)
<https://doi.org/10.1103/PhysRevA.68.014501>

2. L. Labzowsky, D. Solovyev, V. Sharipov, G. Plunien and G. Soff, One- and two-photon resonant spectroscopy of hydrogen and anti-hydrogen atoms in external electric fields,
J. Phys. B: At. Mol. Opt. Phys. 36, L227-L233 (2003)
<https://doi.org/10.1088/0953-4075/36/15/101>

3. L. N. Labzowsky and D. A. Solovyev, Coulomb Green function and its applications in atomic theory, Precise Physics of Simple Atomic Systems, Springer, p.15 (2003)
<https://doi.org/10.1088/0953-4075/36/15/101>

2002

1. L. N. Labzowsky, D. A. Solovyev, G. Plunien and G. Soff, Nonresonant corrections to the 1s-2s two-photon resonance for the hydrogen atom,
Phys. Rev. A 65, 054502 (2002)
<https://doi.org/10.1103/PhysRevA.65.054502>

2. L. Labzowsky and D. Solovyev, Intensity distribution shift for the resonant photon scattering on the hydrogen atom,
Phys. Rev. A 66, 024503 (2002)
<https://doi.org/10.1103/PhysRevA.66.024503>

3. L. N. Labzowsky, D. A. Solovyev, G. Plunien and G. Soff, Nonresonant corrections for the hydrogen atom,
Can. J. Phys. 80, 1187-1194 (2002)
<https://doi.org/10.1139/p02-094>

2001

1. L. N. Labzowsky, D. A. Solovyev, G. Plunien and G. Soff, Asymmetry of the natural line profile for the hydrogen atom,
Phys. Rev. Lett. 87, 143003 (2001)
<https://doi.org/10.1103/PhysRevLett.87.143003>